

Printing date 15.10.2007 Revision: 15.10.2007

1 Identification of the substance/preparation and of the company/undertaking

Product details

· Trade name: Fotoplast S hard

· Application of the substance / the preparation

Light-curing 1-component resin for the production of earmoulds for BTE-hearing aids.

· Manufacturer/Supplier:

Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: ++49 2303 / 8807-0 Fax.: ++49 2303 / 8807-29

Further information obtainable from:

Department Research & Development

Fax.: ++49 2303 / 8807-562

Email: sicherheitsdatenblatt@dreve.de Information in case of emergency:

49(0)211/797-3350

Plant Fire Department Henkel

2 Hazards identification

Hazard description:



Xi Irritant

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 36/37/38 Irritating to eyes, respiratory system and skin.

R 43 May cause sensitisation by skin contact.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

Additional information:

Uncontrollable exothermic product polymerisation possible in case of storage above 60°C or exposure to direct sun light.

3 Composition/information on ingredients

- Chemical characterization
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
	ethoxylated bisphenol A dimethacrylate	Xi; R 36/37/38	50-100%
	Acrylic resin	Xi; R 36/37/38	10-25%
CAS: 923-26-2 EINECS: 213-090-3		X Xi; R 36-43	2.5-10%
CAS: 2082-81-7 EINECS: 212-218-1	tetramethylene dimethacrylate	Xi; R 36/37/38-43	2.5-10%

· Additional information: For the wording of the listed risk phrases refer to section 16.

GB



Printing date 15.10.2007 Revision: 15.10.2007

Trade name: Fotoplast S hard

(Contd. of page 1)

4 First-aid measures

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Avoid contact with skin and eyes.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

7 Handling and storage

- Handling:
- Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: Keep container tightly sealed.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 3)



Printing date 15.10.2007 Revision: 15.10.2007

Trade name: Fotoplast S hard

· Protection of hands:





Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eve protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties General Information Form: Fluid Colour: Different according to colouring Odour: Characteristic Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 151°C · Flash point: 101°C Ignition temperature: 355°C Self-igniting: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Density at 20°C: 1.1 g/cm³ · Solubility in / Miscibility with water: Not miscible or difficult to mix. pH-value at 20°C: 7 · Viscosity: Dynamic at 23°C: 1.4 - 1.5 Pas

GB



Printing date 15.10.2007 Revision: 15.10.2007

Trade name: Fotoplast S hard

(Contd. of page 3)

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

· Sensitisation May cause sensitisation by skin contact.

12 Ecological information

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- Land transport ADR/RID (cross-border)
- ADR/RID class:
- Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -



Printing date 15.10.2007 Revision: 15.10.2007

Trade name: Fotoplast S hard

(Contd. of page 4)

15 Regulatory information

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xi Irritant

· Hazard-determining components of labelling:

2-hydroxypropyl methacrylate tetramethylene dimethacrylate

· Risk phrases:

36/37/38 Irritating to eyes, respiratory system and skin.

43 May cause sensitisation by skin contact.

Safety phrases:

23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).

24/25 Avoid contact with skin and eyes.

- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- 28 After contact with skin, wash immediately with plenty of soap and water.
- 37 Wear suitable gloves.
- This material and its container must be disposed of as hazardous waste.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant R-phrases

36 Irritating to eyes.

36/37/38 Irritating to eyes, respiratory system and skin.

43 May cause sensitisation by skin contact.

- · Department issuing MSDS: Department Research & Development
- Contact: Dr. Thomas Veit, Dr. Reiner Altmann, Lothar Sutor

3B -