

Reviewed on 12/10/2015

Printing date 12/10/2015

1 Identification

· Product identifier

- · Trade name: Siliclone X-ACT
- Application of the substance / the mixture Expanding ear impression material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: ++49 2303 / 8807-0 Fax.: ++49 2303 / 8807-29
- · Information department: Department Research & Development Fax.: +49 2303 8807-562 Email: sicherheitsdatenblatt@dreve.de
- · Emergency telephone number: +49 211 797-3350 Plant Fire Department Henkel

2 Hazard(s) identification

- · Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 1

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Addition-vulcanising 2-component silicone

· Dangerous components:

9005-25-8 Starch

8042-47-5 paraffin oil

(Contd. on page 2)

25-50%

2,5-10%

US



Printing date 12/10/2015

Trade name: Siliclone X-ACT

	(Con	td. of page 1)
93685-79-1	Isoparaffin-mixture C12, C16 and C20	2,5-10%
8002-74-2	Paraffin waxes and Hydrocarbon waxes	2,5-10%
13463-67-7	titanium dioxide	$\leq 2,5\%$
A I I'4' I		

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting.

Call a doctor immediately.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Avoid contact with eyes.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Reference to other sections
 No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

• Precautions for safe handling When using do not eat, drink or smoke.

(Contd. on page 3)

US

Printing date 12/10/2015



Trade name: Siliclone X-ACT

(Contd. of page 2)

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Keep receptacle tightly sealed.
- Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions: None.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

9005-25-8 Starch

- PEL Long-term value: 15* 5** mg/m³
- REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
- TLV Long-term value: 10 mg/m³


8002-74-2 Paraffin waxes and Hydrocarbon waxes

- REL Long-term value: 2 mg/m³
- TLV Long-term value: 2 mg/m³

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not required.
- Protection of hands: Not required.
- Material of gloves Not applicable.
- Penetration time of glove material Not applicable.
- \cdot Eye protection: Goggles recommended during refilling.
- Body protection: Protective work clothing

Information on basic physical and chemical properties General Information				
· Appearance:				
Form:	Viscous			
Color:	Apricot			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	301 °C (574 °F)			





Reviewed on 12/10/2015

Trade name: Siliclone X-ACT

	(Contd. of page 3
· Flash point:	131 °C (268 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	> 400 °C (> 752 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
 Oxidizing properties 	Not determined
· Vapor pressure at 20 °C (68 °F):	100 hPa (75 mm Hg)
· Density at 20 °C (68 °F):	1,2 g/cm³ (10.014 lbs/gal)
 Relative density 	Not determined.
 Vapor density 	Not determined.
 Evaporation rate 	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0,0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No dangerous reactions if used according to specifications.
- · Chemical stability Stable if used according to specifications.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

-US



Printing date 12/10/2015

Trade name: Siliclone X-ACT

(Contd. of page 4)

2B

3

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide

1318-02-1 sodium aluminium silicate

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Disposal must be made according to official regulations.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADR, ADN, IMDG, IATA
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA

Void

Void

(Contd. on page 6)

US -



Printing date 12/10/2015

Trade name: Silicione X-ACT

		(Contd. of page 5)
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Void	
 Packing group DOT, ADR, IMDG, IATA 	Void	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	ll of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):	
None of the ingredient is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
13463-67-7 titanium dioxide	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
9005-25-8 Starch	A4
13463-67-7 titanium dioxide	A4
MAK (German Maximum Workplace Concentration)	
13463-67-7 titanium dioxide	3A
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
13463-67-7 titanium dioxide	
	(Contd. on page



Reviewed on 12/10/2015

(Contd. of page 6)

Printing date 12/10/2015

Trade name: Silicione X-ACT

· GHS label elements Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Department Research & Development
- · Contact: Dr. Thomas Veit, Lothar Sutor
- · Date of preparation / last revision 12/10/2015 / 1

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit**