Printing date 27.01.2016

Version number 3

Revision: 27.01.2016

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Fotofix
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- $\cdot$  Application of the substance / the mixture <code>Faceplate-glue</code>
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: ++49 2303 / 8807-0 Fax.: ++49 2303 / 8807-29
- Further information obtainable from: Department Research & Development Fax: ++49 2303 / 8807-562 Email: sicherheitsdatenblatt@dreve.de
- **1.4 Emergency telephone number:** Tel.: ++ 49 211 / 797-3350 Plant Fire Department Henkel

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS08 health hazard Repr. 2 H361f Suspected of damaging fertility. GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage. GHS07 Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.




Revision: 27.01.2016

Printing date 27.01.2016

Version number 3

Trade name: Fotofix



· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

	Acrylic resin	25-50%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 80-62-6	methyl methacrylate	25-50%
EINECS: 201-297-1	♦ Flam. Liq. 2, H225; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	
	2-Propenoic acid, reaction product with Pentaerythrite	2.5-10%
EC number: 629-850-6	♦ Eye Dam. 1, H318; ♦ Aquatic Chronic 2, H411; ♦ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	
	(Cont	d. on page 3



Printing date 27.01.2016

Version number 3

Revision: 27.01.2016

Trade name: Fotofix

	(Co	ntd. of page 2)
CAS: 75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide	2.5-10%
EINECS: 278-355-8	Repr. 2, H361f; Aquatic Chronic 2, H411; Skin Sens. 1 H317	
CAS: 79-10-7	acrylic acid	≤ <b>2.5%</b>
EINECS: 201-177-9	Flam. Liq. 3, H226; Skin Corr. 1A, H314; Aquatic Acutal, 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	÷
· Additional information	on: For the wording of the listed hazard phrases refer to section 16	]

SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

#### · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting.

Call a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- $\cdot$  For safety reasons unsuitable extinguishing agents: Water

Water with full jet

- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes. Wear protective equipment. Keep unprotected persons away.
   6.2 Environmental precautions: Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

GB ·



Printing date 27.01.2016

Version number 3

Revision: 27.01.2016

### Trade name: Fotofix

(Contd. of page 3)

Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Protect from heat and direct sunlight. Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

### 80-62-6 methyl methacrylate

WEL Short-term value: 416 mg/m<sup>3</sup>, 100 ppm Long-term value: 208 mg/m<sup>3</sup>, 50 ppm

• Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- Protection of hands:



Protective gloves

(Contd. on page 5)

GB



Printing date 27.01.2016

Version number 3

## Trade name: Fotofix

(Contd. of page 4) Protective gloves should be changed regularly, especially after intensive contact with the product. For every workplace a suitable type of protective gloves must be selected.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### · Material of gloves

Butyl rubber (0,7 mm) EN 374

As there are many different conditions in every day work these indications can only serve as an aid to orientation for the selection of suitable gloves for the handling of chemical products. By no means they can replace qualifying examinations by the end-user.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

Penetration time: 60 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

### **SECTION 9: Physical and chemical properties**

<ul> <li>9.1 Information on basic physical and chemical properties</li> <li>General Information</li> </ul>		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. 101 °C	
· Flash point:	10 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	430 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.	



Printing date 27.01.2016

Version number 3

Revision: 27.01.2016

GR

Trade name: Fotofix

	(Contd. of p	bage 5
· Explosion limits:		
Lower:	2.1 Vol %	
Upper:	12.5 Vol %	
<ul> <li>Oxidising properties</li> </ul>	Not determined	
· Vapour pressure at 20 °C:	47 hPa	
· Density at 20 °C:	0.98 g/cm <sup>3</sup>	
· Relative density	Not determined.	
· Vapour density	Not determined.	
<ul> <li>Evaporation rate</li> </ul>	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic at 23 °C:	20 mPas	
Kinematic:	Not determined.	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No dangerous reactions if used according to specifications.
- 10.2 Chemical stability Stable if used according to specifications.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Protect from heat and direct sunlight.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:			
1245638-6	1245638-61-2 2-Propenoic acid, reaction product with Pentaerythrite			
Oral	LD50	>2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rabbit)		
Inhalative	LC50/4 h	>5 mg/l (rat)		
75980-60-	75980-60-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphinoxide			
Oral	LD50	>5000 mg/kg (rat)		
Dermal	LD50	> 2000 mg/kg (rat) ((OECD 402))		
	Primary irritant effect:			
	· Skin corrosion/irritation			
	in irritatior			
· Serious e				
Causes se	erious eye o	damage.		
		(Contd. on page 7)		



Printing date 27.01.2016

Version number 3

Revision: 27.01.2016

### Trade name: Fotofix

(Contd. of page 6)

- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity
- Suspected of damaging fertility.
- · STOT-single exposure
  - May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport inf	ormation
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN1247

- · 14.2 UN proper shipping name
- · ADR

UN1247

· IMDG, IATA

1247 METHYLMETHACRYLAT, MONOMER, STABILISIERT, LÖSUNG METHYL METHACRYLATE MONOMER, STABILIZED, SOLUTION

(Contd. on page 8)



Printing date 27.01.2016

Version number 3

Revision: 27.01.2016

•	Trade name: Fotofix		
			(Contd. of page 7)
ſ	· 14.3 Transport hazard class(es)		
	· ADR, IMDG, IATA		
	· Class	3 Flammable liquids.	
	· Label	3	
	<ul> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	II	
	· 14.5 Environmental hazards:		
	· Marine pollutant:	No	
	<ul> <li>14.6 Special precautions for user</li> </ul>	Warning: Flammable liquids.	
	· Danger code (Kemler):	33	
	• EMS Number:	F-E,S-D	
	Stowage Category     Stowage Code	B SW/2 Clear of living quarters	
╞	•	SW2 Clear of living quarters.	
	• 14.7 Transport in bulk according to Annex		
	of Marpol and the IBC Code	Not applicable.	
	· Transport/Additional information:		
	· ADR		
1	<ul> <li>Limited quantities (LQ)</li> </ul>	11	

· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN1247, METHYL METHACRYLATE MONOMER, STABILIZED, 3, II

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- Technical instructions (air):

Class	Share in %
NK	≤ <b>2,5</b>

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 9)

GB



Version number 3

Revision: 27.01.2016

### Trade name: Fotofix

Printing date 27.01.2016

(Contd. of page	e 8)
Relevant phrases	
H225 Highly flammable liquid and vapour.	
1226 Flammable liquid and vapour.	
H302 Harmful if swallowed.	
H312 Harmful in contact with skin.	
H314 Causes severe skin burns and eye damage.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H319 Causes serious eye irritation.	
H332 Harmful if inhaled.	
H335 May cause respiratory irritation.	
H361f Suspected of damaging fertility.	
1400 Very toxic to aquatic life.	
H411 Toxic to aquatic life with long lasting effects.	
Department issuing MSDS: Department Research & Development	
Contact: Dr. Thomas Veit, Lothar Sutor	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concern	ing
he International Transport of Dangerous Goods by Rail)	
ATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
CAO: International Civil Aviation Organisation	
CAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) \DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning)	tho
nternational Carriage of Dangerous Goods by Road)	uie
MDG: International Maritime Code for Dangerous Goods	
ATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
INECS: European Inventory of Existing Commercial Chemical Substances	
LINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
C50: Lethal concentration, 50 percent	
D50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative	
Filam. Liq. 2: Flammable liquids, Hazard Category 2	
Flam. Liq. 3: Flammable liquids, Hazard Category 3	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
ye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1	
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
Repr. 2: Reproductive toxicity, Hazard Category 2	
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3	
qualo ontonio o. Hazardodo lo ino aquallo ontrionnioni - ontonio Hazard, Galegory o	– GB —