Printing date 11.02.2021

Revision: 11.02.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Fotoplast Gel transparent
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture UV-curing acrylate/methacrylate formulation
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Dreve Otoplastik GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: ++49 2303 / 8807-0 Fax.: ++49 2303 / 8807-29
- Further information obtainable from: Department Research & Development Fax: ++49 2303 / 8807-562 Email: sicherheitsdatenblatt@dreve.de
- **1.4 Emergency telephone number:** Tel.: ++ 49 211 / 797-3350 Plant Fire Department Henkel

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Repr. 1B

H360 May damage fertility or the unborn child.

GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Diurethandimethacrylat Tetrahydrofurfuryl-2-methacrylate
- **Hazard statements** H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child.

(Contd. on page 2)



Printing date 11.02.2021

Version number 5

Revision: 11.02.2021

Trade name: Fotoplast Gel transparent

(Contd. of page 1)

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

- Wear protective gloves/protective clothing/eye protection/face protection. P280
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

•	Dangerous	components:
---	-----------	-------------

Bangorous compensation.				
Diurethandimethacryla	t	50-100%		
🔅 Skin Sens. 1, H317				
CAS: 2455-24-5 Tetrahydrofurfuryl-2-m		10-25%		
EINECS: 219-529-5 🚯 Repr. 1B, H360; 🗘 H412	Skin Sens. 1, H317; Aquatic Chronic 3,			
CAS: 75980-60-8 Diphenyl(2,4,6-trimethy	ylbenzoyl)phosphinoxide	≤2.5%		
EINECS: 278-355-8 🚯 Repr. 2, H361f				
• Additional information: For the wording of the listed bazard phrases refer to section 16				

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures · General information: Immediately remove any clothing soiled by the product. · After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Do not induce vomiting. Call a doctor immediately. · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)



Printing date 11.02.2021

Version number 5

Revision: 11.02.2021

Trade name: Fotoplast Gel transparent

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes.
- \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

• Requirements to be met by storerooms and receptacles: Protect from heat and direct sunlight.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 11.02.2021

Version number 5




Revision: 11.02.2021

Trade name: Fotoplast Gel transparent

(Contd. of page 3)

	(
 8.2 Exposure controls Personal protective equipment: 	
· General protective and hygienic	measures:
Keep away from foodstuffs, bevera	
Immediately remove all soiled and	
Wash hands before breaks and at t	
Store protective clothing separately	
Respiratory protection: Do not inhale fumes.	
	device in case of insufficient ventilation.
• Protection of hands:	
· Frotection of nanus.	
μη.	
Protective gloves	
Ŭ,	
	ed regularly, especially after intensive contact with the product
	e of protective gloves must be selected.
	permeable and resistant to the product/ the substance/ the
preparation.	
 Material of gloves 	
Butyl rubber, BR	
	ons in every day work these indications can only serve as an aid
to orientation for the selection of	suitable gloves for the handling of chemical products. By no
means they can replace qualifying	
These recommendations only app	bly to the product mentioned in the safety data sheet. When
	nder conditions deviant from norm EN 374 a manufacturer o
CE-approved gloves should be refe	
	es does not only depend on the material, but also on furthe
	anufacturer to manufacturer. As the product is a preparation o
	of the glove material can not be calculated in advance and has
therefore to be checked prior to the	
· Penetration time of glove materia	
	be found out by the manufacturer of the protective gloves and
has to be observed.	, , , , , , , , , , , , , , , , , , , ,
	es according to EN 16523-1:2015 are not performed unde
	maximum wearing time, which corresponds to 50% of the
penetration time, is recommended.	
• Eye protection: Goggles recomme	
Body protection: Protective work	
, ,	
SECTION OF Physical and of	omical proportion
SECTION 9: Physical and cl	nemical properties
· 9.1 Information on basic physica	I and chemical properties
· General Information	
· Appearance:	
Form:	Viscous
Colour:	Different according to colouring
	Transparent
· Odour:	Characteristic
	Not determined.
· vaour threshold:	
	Not determined
· Odour threshold: · pH-value:	Not determined.



Version number 5

Revision: 11.02.2021

Trade name: Fotoplast Gel transparent

	(Contd. of page 4)
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. 222 °C
· Flash point:	99 °C
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	235 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: Oxidising properties 	Not determined. Not determined. Not determined Not applicable.
· Vapour pressure at 90 °C:	8 hPa
 Density at 20 °C: Relative density Vapour density Evaporation rate 	1.1 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
 Viscosity: Dynamic: Kinematic: 9.2 Other information 	Not determined. Not determined. No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No dangerous reactions if used according to specifications.
- 10.2 Chemical stability Stable if used according to specifications.
- Thermal decomposition / conditions to be avoided:
- Protect from heat and direct sunlight.
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB -



Printing date 11.02.2021

Version number 5

Revision: 11.02.2021

Trade name: Fotoplast Gel transparent

(Contd. of page 5)

· LD/LC50 values relevant for classification:

2455-24-5 Tetrahydrofurfuryl-2-methacrylate

- Oral LD50 4,000 mg/kg (rat)
- Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity
- May damage fertility or the unborn child.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

- Danger to drinking water if even small quantities leak into the ground.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

- HP10 Toxic for reproduction
- HP13 Sensitising
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)



Printing date 11.02.2021

Version number 5

Revision: 11.02.2021

(Contd. of page 6)

Trade name: Fotoplast Gel transparent

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
 14.4 Packing group ADR, IMDG, IATA 	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Technical instructions (air):

Class	Share in %
III	10-25

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H360 May damage fertility or the unborn child.

H361f Suspected of damaging fertility.

H412 Harmful to aquatic life with long lasting effects.

- · Department issuing SDS: Department Research & Development
- Contact: Dr. Thomas Veit, Lothar Sutor, Susanne Weber
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation

(Contd. on page 8)



Printing date 11.02.2021

Version number 5

Revision: 11.02.2021

Trade name: Fotoplast Gel transparent

(Contd. of page 7) ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation - Category 1 Repr. 1B: Reproductive toxicity - Category 1B Repr. 2: Reproductive toxicity - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3