

MATERIAL SAFETY DATA SHEET



1. Product and Company Identification

Product name Instant Sani-Hands

CAS # Mixture
Product use Antiseptic

Manufacturer Professional Disposables International, Inc.

Two Nice-Pak Park

Orangeburg, NY 10962-1376

or Distributed By:

Professional Disposables International, Inc. Vaughan, ON L4L 4K9

Phone: (USA) 1-845-365-1700 (M-F 8am - 5pm)

Phone: (CANADA) 1-800-263-7067

2. Hazards Identification

Emergency overview WARNING

FLAMMABLE

CAUSES EYE IRRITATION.

Do not get in eyes or on clothing.

Do not use or store near heat or open flame.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Inhalation

Ingestion

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes irritation.

Skin Non-irritating based on test data.

Not a skin sensitizer based on test data. May cause respiratory tract irritation. Not a normal route of exposure.

Target organs Skin. Eyes.

Chronic effectsThe finished product is not expected to have chronic health effects.

Signs and symptoms Symptoms can include irritation, redness, scratching of the cornea, and tearing.

OSHA regulatory status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Potential environmental effects See section 12.

3. Composition/Information on Ingredients

Components	CAS#	Percent
Ethanol	64-17-5	60 - 80
1,2-Propylene glycol	57-55-6	1 - 5

4. First Aid Measures

First aid procedures

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor

for treatment advice.

Skin contact Flush with water. In case of skin irritation, discontinue use of product.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Contact a physician or Poison Control Center for treatment advice. Never

give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician Treat patient symptomatically.

G	Δ١	nΔ	ra	l a	d١	/i	2

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Wear suitable protective clothing as needed. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Keep away from sources of ignition. No smoking. Avoid contact with eyes. Keep out of reach of children.

5. Fire Fighting Me	easures
---------------------	---------

Flammable properties

Flammable by WHMIS/OSHA criteria. Vapors may travel to a source of ignition and flash back.

Containers may explode when heated.

Extinguishing media

Suitable extinguishing

media

Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing

media

Do not use water jet.

Protection of firefighters

Specific hazards arising from the chemical

Firefighters should wear a self-contained breathing apparatus.

Protective equipment and precautions for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion

products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical

impact

Not available.

Sensitivity to static

discharge

Not available.

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with eyes and prolonged exposure to skin.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or

confined areas.

Methods for cleaning up

Remove sources of ignition. Pick up and discard towel.

7. Handling and Storage

Handling

Use only with adequate ventilation.

Avoid contact with eyes.

When using do not eat or drink. Wash thoroughly after handling.

Use according to package label instructions.

Keep container tightly closed.

Use good industrial hygiene practices in handling this material.

Avoid breathing vapors or mists of this product.

Storage

Store in a closed container away from incompatible materials.

Keep away from heat, open flames or other sources of ignition.

Do not store at temperatures above 120°F (49°C).

Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Value Components Type **STEL** Ethanol (CAS 64-17-5) 1000 ppm

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value **PEL** Ethanol (CAS 64-17-5) 1900 mg/m3

#24367 Page: 2 of 7 Issue date 10-January-2014 Components Type Value

1000 ppm

Exposure limits Chemicals listed in section 3 that are not listed here do not have established limit values for

ACGIH or OSHA PEL.

Engineering controls General ventilation normally adequate.

Personal protective equipment

Eye / face protection Wear gear as deemed necessary. Follow label directions.

Hand protection Wear as deemed necessary, follow label directions.

Skin and body protection Follow label directions carefully. As required by employer code.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene Handle in accordance with good industrial hygiene and safety practice.

considerations When using do not eat or drink.

9. Physical and Chemical Properties

Appearance Clear Liquid saturated on wipe

Color Colorless liquid

Form Liquid saturated on wipe

Odor Alcohol

Odor threshold Not available.

Physical state Solid.

pH 7.5 (Liquid)
Freezing point Not available.
Boiling point Not available.
Melting point Not available.
Pour point Not available.
Evaporation rate Not available.

Flash point 71.6 °F (22.0 °C) Tag Closed Cup (Liquid)

Auto-ignition temperature Flammability limits in air,

upper, % by volume

Not available.

Not available.

Flammability limits in air,

lower, % by volume

Not available.

Vapor pressureNot available.Vapor densityNot available.Specific gravity0.883 (Liquid)Partition coefficientNot available.

(n-octanol/water)

Solubility (water)

Relative density

Viscosity

VOC

Not available.

Not available.

Not available.

Not available.

Not available.

Not available.

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid high temperatures. Do not mix with other chemicals.

Incompatible materials Oxidizers.

	11. Toxicological	Information	
Toxicological data			
Components	Species	Test Results	
1,2-Propylene glycol (CAS 57-55-	6)		
Acute			
Dermal			
LD50	Rabbit	20800 mg/kg	
Oral	_		
LD50	Dog	19000 mg/kg	
	Guinea pig	184000 mg/kg	
	Mouse	23900 mg/kg	
	Rabbit	14800 mg/kg	
	Rat	20000 mg/kg	
LC50			
Not available.			
Ethanol (CAS 64-17-5)			
Acute			
Inhalation			
LC50	Mouse	39 mg/l, 4 Hours	
	Rat	31623 ppm, 4 Hours	
 Oral			
LD50	Dog	5500 mg/kg	
		5.5 g/kg	
	Guinea pig	5600 mg/kg	
		5.6 g/kg	
	Mouse	3450 mg/kg	
	Rat	7060 mg/kg	
Effects of acute exposure			
Eye contact	Causes irritation.		
Skin contact	Non-irritating based on test data. Not a skin sensitizer based on test	data.	
Inhalation	May cause respiratory tract irritation	n.	
Ingestion	Not a normal route of exposure.		
Sensitization	The finished product is not expecte	d to have chronic health effects.	
Chronic effects	The finished product is not expected to have chronic health effects.		
Carcinogenicity	The finished product is not expected to have chronic health effects.		
Mutagenicity	The finished product is not expecte	d to have chronic health effects.	
Reproductive effects	The finished product is not expecte		
Teratogenicity	The finished product is not expecte	d to have chronic health effects.	
Name of Toxicologically Synergistic Products	Not available.		

Ecotoxicity	See below

12. Ecological Information

Eastering legical data			
Ecotoxicological data Components		Species	Test Results
1,2-Propylene glycol (CAS 57-55	-6)		
Crustacea	EC50	Daphnia	10000 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	710 mg/l, 96 hours
Ethanol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Persistence and degradability	Not available.		
Bioaccumulation /	Not available.		

Accumulation

Mobility in environmental

media

Not available.

Not available. **Environmental effects** Not available. Aquatic toxicity

Partition coefficient

1,2-Propylene glycol Ethanol

-0.92 -0.31

Chemical fate information Not available.

13. Disposal Considerations

Disposal instructions Dispose in accordance with all applicable regulations. Review federal, state and local government

requirements prior to disposal.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

UN number UN3175

Solids containing flammable liquid, n.o.s. (Ethanol) Proper shipping name

Hazard class 4.1 Packing group

Special provisions 47, IB6, IP2, T3, TP33

Packaging exceptions 151 212 Packaging non bulk 240 Packaging bulk

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

UN number

Proper shipping name Solids containing flammable liquid, n.o.s. (Ethanol)

Hazard class 4.1 Packing group Ш

Special provisions 47, IB6, IP2, T3, TP33

Packaging exceptions 151 Packaging non bulk 212 240 Packaging bulk



TDG



15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5) 1 tonnes

Canada WHMIS Ingredient Disclosure: Threshold limits

1,2-Propylene glycol (CAS 57-55-6) 1 % Ethanol (CAS 64-17-5) 0.1 %

WHMIS classification Exempt - Registered product - (NHP To be registered)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 Yes

hazardous chemical

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ethanol (CAS 64-17-5) Listed.

US CAA Section 111 Volatile Organic Compounds: Listed substance

1,2-Propylene glycol (CAS 57-55-6) Listed. Ethanol (CAS 64-17-5) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

CERCLA (Superfund) reportable quantity

Ethanol: 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

State regulations See below

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Illinois Chemical Safety Act: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed.

US - Minnesota Haz Subs: Listed substance

1,2-Propylene glycol (CAS 57-55-6) Listed. Ethanol (CAS 64-17-5) Listed.

US - New Jersey RTK - Substances: Listed substance

1,2-Propylene glycol (CAS 57-55-6) Listed. Ethanol (CAS 64-17-5) Listed.

US - Texas Effects Screening Levels: Listed substance

1,2-Propylene glycol (CAS 57-55-6) Listed. Ethanol (CAS 64-17-5) Listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5) Listed.

US. Pennsylvania RTK - Hazardous Substances

1,2-Propylene glycol (CAS 57-55-6) Listed. Ethanol (CAS 64-17-5) Listed.

US. Rhode Island RTK

Not regulated.

Inventory status


Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date10-January-2014Effective date15-November-2013Expiry date15-November-2016

Prepared by Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information For any questions surrounding this MSDS, please contact the supplier/manufacturer listed on the

first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.